

## DURASHINE® Colour Coated Sheets Always Outshine Over Competitors





## Here's Why! - Fact Sheet

Fea	tures	DURASHINE®	Competitor "X"
io A	esthetic / Beauty	Shiny finish for enhanced aesthetic value - VIP Wali feeling	Low shine resulting in a dull appearance
Pr	roduct Thickness	Product supplied as committed - Genuine	Declared and actual thickness often differ, and local stamping can specify the correct thickness
	erformance & Colour olour Fading, Flaking or Peeling)	Better resistance to colour fading, flaking, or peeling compared to ordinary pre-painted steel	Fair colour performance; requires repainting after a short period
<b>∂</b> Rι	ust Resistance	Excellent Rust Resistance - The 'Self- healing property' of Al-Zn alloy coating ensures long life	X Typically meets basic corrosion protection criteria
Di	irt Resistance	The Special Paint System ensures dirt particles are washed away with rain or normal washing	<ul> <li>Ordinary painted surfaces allow dirt particles to stick, making cleaning difficult and causing a dull appearance</li> </ul>
⊗ Sc	cratch Resistance	Up to 3X more scratch resistance, ensuring aesthetics and long life	Typically, low scratch resistance (<1 kg), making the paint film more prone to damage
De De	ent Resistance	Excellent Spring-back property resists impacts such as monkey jumps or falling coconuts, preventing sheet deformation	Typically, low strength with limited spring-back property, unable to withstand high impacts, leading to considerable damage
Er 10 Cc	nergy Efficiency - Cool omfort	✓ High heat reflectivity reduces temperature by up to 5°C, ensuring comfort year-round	Ordinary roofing sheets absorb more heat, resulting in an uncomfortable indoor environment
	oof Sheet - Leakproof echnology	Profile design with an anti-capillary groove improves leak-proof performance	Lack of clarity in the Anti-Capillary groove profile design may prevent leak-proof performance
	cientific Gadgets for leasurements	DURAKIT™ provides real-time validation of coating thickness , finish and overall product thickness	Not available
	roduct for Corrosive nvironments	The SUPERSHIELD® product, developed for harsh conditions, offers advanced protection in corrosive environments	X Not available
	R Code - Product Source erification	<b>Quick Verification</b> of genuine <b>DURASHINE®</b> products using QR codes <b>Quick Verification</b> of genuine <b>DURASHINE®</b> products using QR codes <b>Quick Verification</b> of genuine <b>DURASHINE®</b> products using QR codes <b>Quick Verification</b> of genuine <b>DURASHINE®</b> products using QR codes <b>Quick Verification</b> of genuine <b>DURASHINE®</b> products using QR codes <b>Quick Verification</b> of genuine <b>DURASHINE®</b> products using QR codes <b>Quick Verification</b> of genuine <b>DURASHINE®</b> products using QR codes <b>Quick Verification</b> of genuine <b>DURASHINE®</b> products using QR codes <b>Quick Verification</b> of genuine <b>DURASHINE®</b> products using QR codes <b>Quick Verification</b> of genuine <b>DURASHINE®</b> products using QR codes <b>Quick Verification</b> of genuine <b>DURASHINE®</b> products using QR codes <b>Quick Verification</b> of genuine <b>QR</b> codes <b>QUICK QUICK QU</b>	⊗ Unavailable or unclear
	echnical & Service upport	✓ Nationwide technical and installation support provided through ShelterChamps	⊗ Unavailable or unclear
	nvironmentally Friendly roduct	GRIHA certified, EPD certified, IGBC Green Pro certified, and idea for rain water harvesting	

Available Standard DURASHINE® range of colours























To check the quality of **DURASHINE®** Sheets, **DURAKIT™** is available with distributor and Tata BlueScope Steel representative.























## ड्यूराशाइन<sup>®</sup> कलर कोटेड शीट्स जानिए, यह आपके प्रतिस्पर्धियों से बेहतर क्यों है?







ड्यूराशाइन® के उपलब्ध

मानक रंग

एशियन व्हाइट™

विशेष	षताएँ	(अ) इयूराशाइन®	पि प्रतिस्पर्धी शीट्स
	ने में आकर्षक	इसकी अनोखी चमक, इसे और भी आकर्षक बनाती है इसी लिए देती है आपको VIP वाली फिलिंग।	🗴 कम चमक के साथ, यह साधारण दिखता है।
	गेटाई- वादे के अनुसार	🥏 इ्यूराशाइन® देता है <b>सही मोटाई, वादे के अनुसार।</b>	🗴 बताई गई मोटाई और उत्पाद की असल मोटाई में फर्क होने की संभावना होती है, और कभी-कभी सही मोटाई की जानकारी भी सही से नही मिलती।
्ट कलर क टिकाऊप	कोटिंग का ऊपन	<b>्रयूराशाइन</b> ® का मेटल और कलर कोटिंग, साधारण प्री-पेंटेड स्टील से बेहतर है, जो <b>पपड़ी आने से बचाती</b> है और छत रखे <b>नए जैसा सालोसाल।</b>	साधारण शीट्स का मेटल और कलर कोटिंग जल्दी ख़राब होने की संभावना होती है. और इसे बार बार मेंटेनन्स की जरुरत हो सकती है।
🔗 जंग प्रति	तिरोध	एल्युमीनियम-जिंक कोटिंग के साथ यह <b>सर्वोत्तम जंग प्रतिरोध</b> होता है ।	🗴 प्रतिस्पर्धी शीट्स, साधारण जंग प्रतिरोध के साथ के साथ कम टिकाऊ हो सकते है।
्रें धूल प्रति	तिरोध	इसका विशेष पेण्ट कोटिंग, <b>धूल को जमा नहीं होने देता</b> । पानी से या बारिश के साथ आसानी से धूल साफ होती है।	<ul> <li>साधारण शीट्स पर धूल जमा होती है और आसानी से साफ नहीं होती।</li> <li>जिससे यह ख़राब दिखता है।</li> </ul>
⊗ स्क्रैच से	से बचाव	यह तीन गुना (3x) तक <b>ज्यादा स्क्रैच से बचाव</b> करती है। इसलिए यह <b>लम्बे समय</b> तक आकर्षक दिखती है।	🗴 इसपर स्क्रैचेस आने की ज्यादा संभावना होती है और इसलिए जल्दी ख़राब दिखता है।
🔅 डेंट प्रति	तरोध	<ul> <li>इसमें स्प्रिंग बैक प्रोपेर्टी होती है इसलिए बन्दर की उछल कूद या नारियल गिरने से,</li> <li>इसमें डेंट नहीं आता।</li> </ul>	🗴 कम स्प्रिंग बैक प्रॉपर्टी के साथ, कुछ गिरने से साधारण छत को डेंट / नुकसान होता है।
ऊर्जा बच	बचाये - अंदर कुल रखे	इ्यूराशाइन® छत, उष्णता अंदर आने नहीं देता और अंदरुनी तापमान में 5 डिग्री तक गिरावट लाता है और हर मौसम में अंदर का तापमान आरामदायक रहता है।	🗴 साधारण छत बहार का तापमान अंदर आने से नहीं रोक सकता और इसलिए अंदर गर्मी होती है।
िं लीक-प्रृ	-प्रूफ तकनीक	📀 इसमें <b>एंटी-कैपिलरी ग्रूव डिज़ाइन</b> होता है, जिससे छत <b>लीक-प्रूफ प्रदर्शन</b> करता है।	🗴 इसमें एंटी-कैपिलरी ग्रूव नहीं होता है, जिससे बारिश में लीकेज हो सकता है।
चेक / उ उपकरण	7 जाँच करने के लिए रण उपलब्ध	शीट्स की गुणवत्ता जांच लें <b>इयूरािकट™</b> के साथ।	🗴 किट उपलब्ध नहीं।
सर्वोत्तम ज	और विभिन्न वातावरण के लिए म जंग प्रतिरोधक उत्पाद	कठोर और विभिन्न वातावरण (इंडिस्ट्रियल, रासायनिक वातावरण इ.) में <b>सबसे ज़्यादा चलने के लिए</b> सुपरशील्ड ® शीट्स विशिष्ट कोटिंग के साथ उपलब्ध।	🗴 उपलब्ध नहीं।
असली उ क्यू आर	ी उत्पाद के लिए ार कोड	असली ड्यूराशाइन® शीट्स की पहचान के लिए, क्यू आर कोड उपलब्ध।	🗴 उपलब्ध नहीं।
ज्ञास्त्रमा	कि और सेवा	शेल्टरचैंप्स ऐप के माध्यम से देशभर में तकनीक और इंस्टालेशन प्रशिक्षित टाटा ब्लूस्कोप स्टील के अधिकृत फैब्रिकेटर्स से सहायता मिलती है।	🗴 उपलब्ध नहीं।
्रि पयार्वर	रण के अनुकूल उत्पाद	🕜 यह GRIHA, EPD और IGBC ग्रीन प्रो प्रमाणित है और जल के पुनर्वापर के लिए आदर्श है।	🗴 उपलब्ध नहीं।

शीट्स की गुणवत्ता जांचने के लिए, डिस्ट्रीब्यूटर्स और टाटा ब्ल्यूस्कोप स्टील प्रतिनिधि के पास **इयूराकिट™** उपलब्ध है।

















कासल रेड™





